

BUILDING PRODUCTS/

PVA BOND - 501

FROM
£2.41



PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming unsound surfaces prior to plastering or painting, as an adhesive on wood, cork, textiles and most applications where at least one surface is porous, for general dust sealing on flaking paintwork/walls etc and as a cement and plaster admixture. Fully conforms to BS 5270.

Code	Size	Each £	Box Qty	Box £
EBPVA5021L	1Ltr	2.69	12	28.95
EBPVA5045L	5Ltr	9.65	4	34.75

SBR BOND 503



SBR Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity, dampness and continuous water contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings and floor screeds.

Code	Size	Each £
EBSBR5035	5Ltr	16.59
EBSBR5042*	25Ltr	59.00

PVA - CONTRACTORS



Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

Code	Size	Each £
EBCPVA5	5Ltr	8.30
EBCPVA2*	25Ltr	49.95

TOP SELLER

ADDITIVE - MORTAR ADMIX 201



Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freeze-thaw cycles when set. To BS 4887.

Code	Size	Each £
EBMM2015	5Ltr	2.45
EBMM20125*	25Ltr	12.09

WATERPROOFER - INTEGRAL LIQUID 202



Integral Liquid Waterproofing is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary such as pool and tank linings, roof areas, external rendering and pointing and structures below ground level. To BS 4887 (initial air).

Code	Size	Each £
EBWP2025	5Ltr	4.56
EBWP202125*	25Ltr	22.75

ADDITIVE - ACCELERATOR & FROSTPROOFER 203

FROM
£4.11



Accelerator & Frostproofing is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in sub-zero temperatures and can also be used in normal temperatures where a rapid set is required and as a plastering admixture.

Code	Size	Each £	Box Qty	Box £
EBACC2035	5Ltr	4.56	4	16.45

* Denotes addition carriage charges may be applicable

ADDITIVE - EVERMIX 3 IN 1 - 204



Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing, however it can also be used in any cement mixture where waterproofing and increased workability are required in conjunction with retarded setting. To BS 4887 (initial air).

Code	Size	Each £	Box Qty	Box £
EB3IN12045	5Ltr	4.56	4	16.45

PLASTICISER - EVERMIX P.M.P. 205



Evermix PMP is a resin based mortar plasticiser in powder form packed in easy to dose 15 gramme sachets for accurate dosing. Replaces lime in the mix to provide an easy to work "butter-like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in all mortars and provides a degree of frost resistance and long-term freeze-thaw cycles when mortar is set. To BS 4887.

Code	Size	Each
EB3IN12045	5Ltr	4.56

RELEASE OIL - STRIKE 206



Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work including potable water structures, not affected by rain after application.

Code	Size	Each £	Box Qty	Box £
EBROL206	5Ltr	13.95	4	49.95

ADDITIVE - ZEROMIX CFF 207

FROM
£4.37




Zeromix CFF is a double action frostproof and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. To BS 4887.

Code	Size	Each £	Box Qty	Box £
EBCCF2075	5Ltr	4.85	4	17.46

ADDITIVE - POWDER MORTAR TONE 208

FROM
£5.00



Powder Mortar Tone is formulated from best quality oxide pigments for permanently colouring all types of mortars, rendering, concrete and pointing. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths.

Code	Colour	Size	Each £	Box Qty	Box £
EBMT208BL	BLACK	1Kg	5.69	6	29.99
EBMT208RE	RED	1Kg	5.69	6	29.99
EBMT208BR	BROWN	1Kg	5.69	6	29.99
EBMT208MA	MARIGOLD	1Kg	5.69	6	29.99
EBMT208BU	BUFF	1Kg	5.69	6	29.99

ADDITIVE - LIQUID MORTAR TONE 209

FROM
£5.18



Liquid Mortar Tone is formulated to provide a permanent colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can be adjusted to provide a wide variety of colour depths.

Code	Colour	Size	Each £	Box Qty	Box £
EBMT2091BL	BLACK	1Lt	5.75	12	62.10
EBMT2095BL	BLACK	5Ltr	21.85	4	78.65
EBMT2091RE	RED	1Lt	5.75	12	62.10
EBMT2095BR	BROWN	5Ltr	21.85	4	78.65

ADDITIVE - SUPER STRENGTH WATERPROOFER

FROM
£4.46



Super Strength Waterproofer is a highly concentrated waterproofing and plasticising admixture, which is ten times the strength of conventional products. Provides long term protection from water damage to mortar, concrete, renders and screeds by dramatically reducing water permeability. Conforms to BS 4887 (air entraining properties).

Code	Size	Each £	Box Qty	Box £
EBSSWAT	500ml	4.95	15	66.85

ADDITIVE - ADMIX SUPER STRENGTH

FROM
£2.07



Super Strength Admix is a highly concentrated air entraining plasticising admixture which is ten times the strength of conventional products. Improves the workability of mortar and helps prevent shrinkage, cracking, crazing and mild frost damage during the curing process. Conforms fully with the requirements of BS 4887 (1986).

Code	Size	Each £	Box Qty	Box £
EBSSADMIX	500ml	2.30	15	31.05

ADDITIVE - WATERSEAL 402

FROM
£9.86



Waterseal is a high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, concrete, pebble dashed and rendering. Waterseal does not contain solvents harmful to the user or the environment and is non-flammable.

Code	Size	Each £	Box Qty	Box £
EBWAT4025	5Ltr	10.95	4	39.45

* Denotes addition carriage charges may be applicable

BUILDING PRODUCTS/

SEALER - PATH & PATIO SEAL

FROM
£12.98



Path & Patio Seal is a solvent free acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of sunlight, water, oil, petrol and fungal/moss growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.

Code	Size	Each £
EBPPS4055	5Ltr	12.98

SEALER - EXTERIOR WALL SEAL 408

FROM
£13.22



Exterior Wall Seal is a spirit based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, concrete, plaster, rendering etc. Wall Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.

Code	Size	Each £	Box Qty	Box £
EBEWS408	5Ltr	14.69	4	52.88

SEALER - BLOCK PAVING SEAL 409

FROM
£26.96



Block Paving Seal is a clear solvent based acrylic coating designed to bind jointing sand and form a durable seal over block paving and other mineral paver/flags. Seals and protects against sunlight, water, oil, petrol and mould growth. Mid sheen, non-slip finish. Dries clear.

Code	Size	Each £	Box Qty	Box £
EBBPS4095	5Ltr	29.95	4	107.85

CLEANER - BRICK & PATIO 401

FROM
£2.18



Brick & Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, stone, concrete, paving flags and earthenware.

Code	Size	Each £	Box Qty	Box £
EBBPC4011	1Ltr	2.42	12	26.15
EBBPC4012	2.5Ltr	3.95	6	21.35
EBBPC4015	5Ltr	5.97	4	21.49

CHEMICAL - CONCRETE HARDENER & DUSTPROOFER 403

FROM
£4.31



Concrete Hardener & Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface.

Code	Size	Each £	Box Qty	Box £
EBCHD4035	5Ltr	4.79	4	17.25
EBCHD40325*	25Ltr	28.50	1	

CLEANER - MOSS & MOULD REMOVER

FROM
£3.14



Moss & Mould Remover is a powerful, fungicidal wash for the removal of moss, lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.

Code	Size	Each £	Box Qty	Box £
EBMMR4045	1Ltr	3.49	12	37.69
EBMMR40425	5Ltr	6.95	4	24.95

STABILISING SOLUTION - 406

FROM
£8.96



Microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.

Code	Size	Each £	Box Qty	Box £
EBSS406	5Ltr	9.95	4	35.85

CLEANER - MORTAR STAIN REMOVER 407

FROM
£5.04



Mortar Stain Remover is a highly concentrated fast acting acid based formula (18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete. Clean up after use with cold water.

Code	Size	Each £	Box Qty	Box £
EBMSR4075	5Ltr	5.59	4	20.15
EBMSR40725*	25Ltr	29.95	1	

* Denotes addition carriage charges may be applicable

GROUT - FLOW SET 690



Flow Set 690 is a structural precision grout giving high strength, shrinkage compensation, shock and vibration resistance. Is suitable for most structural grouting applications such as machine bedding, parapet legs and stanchion base plates. Non corrosive fills gaps in concrete from 10mm to 100mm.

Code	Size	Each £
EBFS690*	25Kg	16.95

MORTAR SET 90



Mortar Set 90 is a structural strength, fast setting bedding and general repair mortar which is trafficable after only 90 minutes. Technically balanced and shrinkage compensated, just add measured amount of water for the perfect mix every time. Achieves high early strength and is ideal for bedding street ironwork, stonework, steps, kerbs and patching concrete pavements and floors.

Code	Size	Each £
EBMS90*	25Kg	16.95

MORTAR POINT 360



Mortar Point 360 is a technical grade, shrinkage compensated mortar for repointing brickwork, blockwork, stone walling, flags and slabs. The high specification polymer modified formula ensures the mortar is totally freeze/thaw resistant.

Code	Size	Each £
EBMP360*	20Kg	16.95

POINTING - PRO POINT GUN



Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. The powerful mechanism of the gun requires minimum force for ease of use. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle.

Code	Description	Each £
EBPROPOINT	PRO POINT GUN KIT	34.95
EBPROPOINTNZ	SPARE NOZZLE SET	2.56
EBPROPOINTBL	SPARE BARREL	2.79

GROUT - PAVE FAST



Pave Fast is a ready to use, self-curing, permanent grouting compound for all paving joints above 5mm in width. It is resistant to cracking, will not wash out and prevents weed growth. It is ideal for use on natural stone slabs, natural paving stones, concrete paving stones, concrete paving flags and clay/terracotta paving. Pave Fast comes packed in 2 x 7kg sealed aluminium foil sachets per bucket and is simply applied by brushing it into the joints using a soft brush.

Code	Size	Each £
EBPAVFAS	15Kg	33.95

GROUT - BLOCKFAST



Block Fast is a ready to use, moisture curing, permanent joint grouting compound for all block paving joints 5mm or less in width. Unlike traditional mortar or sand, it is resistant to cracking, will not wash out and prevents weed growth. Block Fast is designed specifically for use on most common block pavers. It can be used internally or externally. Block Fast comes packed in 2 x 7kg sealed aluminium foil sachets per bucket and is simply applied by brushing it into the joints using a soft brush.

Code	Size	Each £
EBBFAS	15Kg	35.75

BUILDING PRODUCTS/

PUTTY - PLUMBERS 113

FROM
£3.23



Plumbers Putty is a ready mixed, waterproof, non-setting putty designed for sealing and bedding w/c soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumbers Putty will seal ceramics, vitreous enamels, metals and PVC. Plumbers Putty remains permanently flexible to allow for joint movement, is overpaintable and is compatible with Everflex Silicone Sealants.

PUTTY - METOLUX PUTTYMATE

FROM
£5.35



The incredible epoxy repair stick! Puttymate is a super versatile repair putty suitable for repairing bonding, sealing, sticking, fixing, moulding and rebuilding virtually any material - Even underwater.

CEMENT - FIRE 104

FROM
£2.24



Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used on fire bricks, fire grates, flue pipes, boilers etc.

Code	Colour	Size	Each £	Box Qty	Box £
EBPUT113	BEIGE	0.75Kg	3.59	12	38.79

Code	Colour	Size	Each £	Box Qty	Box £
EBPUMATE	WHITE	160mm	5.95	24	128.52

Code	Colour	Size	Each £
EBFC1041	GREY	1Kg	2.49

TARMACADAM REPAIR - QUICKMAC



Quick Mac is a high specification Tarmacadam repair compound designed to repair roads, drives and footpaths. May also be used for repairs around roadside ironwork. Ready to use cold lay product, maximum 6mm chip size for permanent compaction and instantly trafficable.

Code	Colour	Size	Each £
EBQMAC*	BLACK	25Kg	26.95

* Denotes addition carriage charges may be applicable